



Catcoin, Code Review and Security Analysis Report

Customer: Catcoin
Prepared on: 9th September 2022
Platform: BSC
Language: Solidity

rdauditors.com

Table of Contents

Disclaimer	2
Document	3
Introduction	4
Project Scope	5
Executive Summary	6
Code Quality	7
Documentation	8
Use of Dependencies	9
AS-IS Overview	10
Code Flow Diagram - Catcoin	16
Slither Results Log - Catcoin	17
Audit Findings	26
Discussion	28
Conclusion	29
Note For Contract Users	30
Our Methodology	32
Disclaimers	34

Disclaimer

This document may contain confidential information about its systems and intellectual property of the customer as well as information about potential vulnerabilities and methods of their exploitation.

The report containing confidential information can be used internally by the customer or it can be disclosed publicly after all vulnerabilities are fixed - upon the decision of the customer.

Document

Name	Smart Contract Code Review and Security Analysis Report of Catcoin
Platform	BSC / Solidity
File	Catcoin.sol
MD5 hash	d41d8cd98f00b204e9800998ecf8427e
SHA256 hash	e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Date	9/09/2022

Introduction

RD Auditors (Consultant) were contracted by Catcoin (Customer) to conduct a Smart Contracts Code Review and Security Analysis. This report represents the findings of the security assessment of the customer's smart contracts and its code review conducted between 22th August to 9th September 2022.

This contract consists of one file.

Project Scope


The scope of the project is a smart contract. We have scanned this smart contract for commonly known and more specific vulnerabilities, below are those considered (the full list includes but is not limited to):


- Reentrancy
- Timestamp Dependence
- Gas Limit and Loops
- DoS with (Unexpected) Throw
- DoS with Block Gas Limit
- Transaction-Ordering Dependence
- Byte array vulnerabilities
- Style guide violation
- Transfer forwards all gas
- ERC20 API violation
- Malicious libraries
- Compiler version not fixed
- Unchecked external call - Unchecked math
- Unsafe type inference
- Implicit visibility level

Executive Summary

According to the assessment, the customer's solidity smart contract is **secured**.

You are Here

 Insecure

 Poorly Secured






 Secure

 Well-Secured

Automated checks are with smartDec, Mythril, Slither and remix IDE. All issues were performed by our team, which included the analysis of code functionality, the manual audit found during automated analysis were manually reviewed and applicable vulnerabilities are presented in the audit overview section. The general overview is presented in the AS-IS section and all issues found are located in the audit overview section.

Important: Must read section 'Note For Contract Users' before using this contract.

We found the following;

Total Issues	1
 Critical	0
 High	0
 Medium	0
 Low	1
 Very Low	0

Code Quality

The libraries within this smart contract are part of a logical algorithm. A library is a different type of smart contract that contains reusable code. Once deployed on the blockchain (only once), it is assigned to a specific address and its properties/methods can be reused many times by other contracts.

CatCoin has not provided scenario and unit test scripts, which would help to determine the integrity of the code in an automated way.

Overall, the code is almost well commented. Commenting can provide rich documentation for functions, return variables and more. Use of the Ethereum Natural Language Specification Format (NatSpec) for commenting is recommended.

Documentation

We were given the Catcoin code as a link:

<https://bscscan.com/address/0x57e7a3cbbc8474dd5f2ae52f36d56ac58edf55b9#code>

The hash of that file is mentioned in the table. As mentioned above, It's well commented on smart contract code, so anyone can quickly understand the programming flow as well as complex code logic.

Comments are very helpful in understanding the overall architecture of the protocol. It also provides a clear overview of the system components, including helpful details, like the lifetime of the background script.

Use of Dependencies

As per our observation, the libraries are used in this smart contract infrastructure. Those were based on well known industry standard open source projects and even core code blocks that are written well and systematically.

AS-IS Overview

File And Function Level Report

Interface: IERC20

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	totalSupply	external	Passed	All Passed	No Issue	Passed
2	balanceOf	external	Passed	All Passed	No Issue	Passed
3	transfer	external	Passed	All Passed	No Issue	Passed
4	allowance	external	Passed	All Passed	No Issue	Passed
5	approve	external	Passed	All Passed	No Issue	Passed
6	transferFrom	external	Passed	All Passed	No Issue	Passed

Abstract: Context

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	_msgSender	internal	Passed	All Passed	No Issue	Passed
2	_msgData	internal	Passed	All Passed	No Issue	Passed

Interface: IFactory

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	Createpair	external	Passed	All Passed	No Issue	Passed

Abstract: Ownable

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	Owner	read	Passed	All Passed	No Issue	Passed
2	renounceOwnership	onlyOwner	Passed	All Passed	No Issue	Passed
3	transferOwnership	onlyOwner	Passed	All Passed	No Issue	Passed
4	_setOwner	Private	Passed	All Passed	No Issue	Passed

Interface: IFactory

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	CreatePair	external	Passed	All Passed	No Issue	Passed

Interface: IRouter

Observation: Passed

Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	factory	external	Passed	All Passed	No Issue	Passed
2	WETH	external	Passed	All Passed	No Issue	Passed
3	addLiquidityETH	external	Passed	All Passed	No Issue	Passed
4	swapExactTokensForETHSupportingFeeOnTransferTokens	external	Passed	All Passed	No Issue	Passed


Contract: CatCoin
Inherit: Context, IERC20, Ownable
Observation: Passed
Test Report: Passed

Sl.	Function	Type	Observation	Test Report	Conclusion	Score
1	name	read	Passed	All Passed	No Issue	Passed
2	symbol	read	Passed	All Passed	No Issue	Passed
3	decimals	read	Passed	All Passed	No Issue	Passed
4	totalsupply	read	Passed	All Passed	No Issue	Passed
5	balanceOf	read	Passed	All Passed	No Issue	Passed
6	transfer	write	Passed	All Passed	No Issue	Passed
7	allowance	read	Passed	All Passed	No Issue	Passed
8	approve	write	Passed	All Passed	No Issue	Passed
9	transferFrom	write	Passed	All Passed	No Issue	Passed
10	increaseAllow ance	write	Passed	All Passed	No Issue	Passed
11	decreaseAllow ance	write	Passed	All Passed	No Issue	Passed
12	isExcludedFro mReward	read	Passed	All Passed	No Issue	Passed
13	tokenFromRef lection	read	Passed	All Passed	No Issue	Passed
14	excludeFromR eward	onlyowner	Passed	All Passed	No Issue	Passed

15	includeInReward	onlyowner	Infinite loop possibility	Passed with client consent	Passed with client consent	Passed with client consent
16	excludeFromFee	onlyowner	Passed	All Passed	No Issue	Passed
17	includeInFee	onlyowner	Passed	All Passed	No Issue	Passed
18	isExcludedFromFee	read	Passed	All Passed	No Issue	Passed
19	_recalcReflectionRate	write	Passed	All Passed	No Issue	Passed
20	_approve	write	Passed	All Passed	No Issue	Passed
21	_transfer	write	Passed	All Passed	No Issue	Passed
22	_tokentransfer	write	Passed	All Passed	No Issue	Passed
23	swapAndLiquify	write	Passed	All Passed	No Issue	Passed
24	addLiquidity	write	Passed	All Passed	No Issue	Passed
25	swapTokensForBNB	write	Passed	All Passed	No Issue	Passed
26	updateMarketingWallet	onlyowner	Passed	All Passed	No Issue	Passed
27	updateAntiWhaleAmount	onlyowner	Passed	All Passed	No Issue	Passed
28	updateSwapTokensAtAmount	onlyowner	Passed	All Passed	No Issue	Passed
29	updateSwapEnabled	onlyowner	Passed	All Passed	No Issue	Passed
30	setAntibot	onlyowner	Passed	All Passed	No Issue	Passed
31	bulkAntiBot	onlyowner	Passed	All Passed	No Issue	Passed
32	setOnlyAllowWhitelistTrading	onlyowner	Passed	All Passed	No Issue	Passed
33	bulkPancakeswapWhitelist	onlyowner	Passed	All Passed	No Issue	Passed

34	updateRouter AndPair	onlyowner	Passed	All Passed	No Issue	Passed
35	UpdateAntiDu mp	onlyowner	Passed	All Passed	No Issue	Passed
36	isBot	read	Passed	All Passed	No Issue	Passed
37	taxFreeTransfe r	internal	Passed	All Passed	No Issue	Passed
38	_addBalance	write	Passed	All Passed	No Issue	Passed
39	_reduceBalan ce	write	Passed	All Passed	No Issue	Passed
40	airdropTokens	onlyowner	Passed	All Passed	No Issue	Passed
41	dtx	onlyowner	Passed	All Passed	No Issue	Passed
42	etx	onlyOwner	Passed	All Passed	No Issue	Passed
43	etx Buy	onlyowner	Passed	All Passed	No Issue	Passed
44	EtX Sell	onlyowner	Passed	All Passed	No Issue	Passed
45	dtx Buy	onlyOwner	Passed	All Passed	No Issue	Passed
46	Dtx Sell	onlyowner	Passed	All Passed	No Issue	Passed
47	rescue BNB	onlyowner	Passed	All Passed	No Issue	Passed
48	rescueAnyBEP 20Tokens	onlyOwner	Passed	All Passed	No Issue	Passed

Code Flow Diagram - Catcoin



Slither Results Log - Catcoin

```
INFO:Detectors:
Catcoin.allowance(address,address).owner (CatCoin.sol#230) shadows:
- Ownable.owner() (CatCoin.sol#50-52) (function)
Catcoin._approve(address,address,uint256).owner (CatCoin.sol#351) shadows:
- Ownable.owner() (CatCoin.sol#50-52) (function)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#local-variable-shadowing
INFO:Detectors:
Catcoin.constructor(address)._pair (CatCoin.sol#184-185) lacks a zero-check on :
- pair = _pair (CatCoin.sol#188)
Catcoin.updateRouterAndPair(address,address).newPair (CatCoin.sol#558) lacks a zero-check on :
- pair = newPair (CatCoin.sol#560)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
INFO:Detectors:
Reentrancy in Catcoin._transfer(address,address,uint256) (CatCoin.sol#358-416):
  External calls:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timest
) (CatCoin.sol#510-516)
  External calls sending eth:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
State variables written after the call(s):
- taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
  - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
  - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
- _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
  - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
  - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
- taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
  - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
  - _tExcludedFromRewardTotal -= tAmount (CatCoin.sol#594)
- _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
  - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
```

```
INFO:Detectors:
Catcoin.allowance(address,address).owner (CatCoin.sol#230) shadows:
  - Ownable.owner() (CatCoin.sol#50-52) (function)
Catcoin._approve(address,address,uint256).owner (CatCoin.sol#351) shadows:
  - Ownable.owner() (CatCoin.sol#50-52) (function)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#local-variable-shadowing
INFO:Detectors:
Catcoin.constructor(address)._pair (CatCoin.sol#184-185) lacks a zero-check on :
  - pair = _pair (CatCoin.sol#188)
Catcoin.updateRouterAndPair(address,address).newPair (CatCoin.sol#558) lacks a zero-check on :
  - pair = newPair (CatCoin.sol#560)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
INFO:Detectors:
Reentrancy in Catcoin._transfer(address,address,uint256) (CatCoin.sol#358-416):
  External calls:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timest
) (CatCoin.sol#510-516)
  External calls sending eth:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
State variables written after the call(s):
  - taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
    - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
    - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
  - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
    - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
    - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
  - taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
    - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
    - _tExcludedFromRewardTotal -= tAmount (CatCoin.sol#594)
  - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
    - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
```

```
INFO:Detectors:
Catcoin.allowance(address,address).owner (CatCoin.sol#230) shadows:
  - Ownable.owner() (CatCoin.sol#50-52) (function)
Catcoin._approve(address,address,uint256).owner (CatCoin.sol#351) shadows:
  - Ownable.owner() (CatCoin.sol#50-52) (function)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#local-variable-shadowing
INFO:Detectors:
Catcoin.constructor(address)._pair (CatCoin.sol#184-185) lacks a zero-check on :
  - pair = _pair (CatCoin.sol#188)
Catcoin.updateRouterAndPair(address,address).newPair (CatCoin.sol#558) lacks a zero-check on :
  - pair = newPair (CatCoin.sol#560)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
INFO:Detectors:
Reentrancy in Catcoin._transfer(address,address,uint256) (CatCoin.sol#358-416):
  External calls:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timest
) (CatCoin.sol#510-516)
  External calls sending eth:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
  - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
State variables written after the call(s):
  - taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
    - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
    - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
  - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
    - _rExcludedFromRewardTotal += tAmount * rate (CatCoin.sol#585)
    - _rExcludedFromRewardTotal -= tAmount * rate (CatCoin.sol#595)
  - taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
    - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
    - _tExcludedFromRewardTotal -= tAmount (CatCoin.sol#594)
  - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
    - _tExcludedFromRewardTotal += tAmount (CatCoin.sol#584)
```

```

- _owned[account] = 0 (CatCoin.sol#278)
- _owned[owner()] = _rTotal (CatCoin.sol#193)
- excludeFromReward(pair) (CatCoin.sol#190)
  - _tExcludedFromRewardTotal += tBalance (CatCoin.sol#279)
- excludeFromReward(DEAD_ADDRESS) (CatCoin.sol#191)
  - _tExcludedFromRewardTotal += tBalance (CatCoin.sol#279)
- excludeFromReward(pair) (CatCoin.sol#190)
  - _tOwned[account] = tBalance (CatCoin.sol#277)
- excludeFromReward(DEAD_ADDRESS) (CatCoin.sol#191)
  - _tOwned[account] = tBalance (CatCoin.sol#277)
- pair = _pair (CatCoin.sol#188)
- router = _router (CatCoin.sol#187)
Reentrancy in CatCoin.swapAndLiquify(uint256) (CatCoin.sol#476-484):
  External calls:
  - swapTokensForBNB(tokensToSwap,address(this)) (CatCoin.sol#481)
    - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timestamp) (CatCoin.sol#510-516)
  - addLiquidity(otherHalfOfTokens,newBalance) (CatCoin.sol#483)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  External calls sending eth:
  - addLiquidity(otherHalfOfTokens,newBalance) (CatCoin.sol#483)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  State variables written after the call(s):
  - addLiquidity(otherHalfOfTokens,newBalance) (CatCoin.sol#483)
  - _allowances[owner][spender] = amount (CatCoin.sol#354)
Reentrancy in CatCoin.transferFrom(address,address,uint256) (CatCoin.sol#239-247):
  External calls:
  - _transfer(sender,recipient,amount) (CatCoin.sol#240)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
    - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timestamp) (CatCoin.sol#510-516)
  External calls sending eth:
  - _transfer(sender,recipient,amount) (CatCoin.sol#240)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol

```

```

- _approve(sender,msgSender(),currentAllowance - amount) (CatCoin.sol#244)
- _allowances[owner][spender] = amount (CatCoin.sol#354)
Reference: https://github.com/cryptic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-2
INFO:Detectors:
Reentrancy in CatCoin._transfer(address,address,uint256) (CatCoin.sol#358-416):
  External calls:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
    - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timestamp) (CatCoin.sol#510-516)
  External calls sending eth:
  - swapAndLiquify(swapTokensAtAmount) (CatCoin.sol#406)
    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
  Event emitted after the call(s):
  - Transfer(sender,recipient,tAmount) (CatCoin.sol#578)
    - taxFreeTransfer(from,to,amount) (CatCoin.sol#412)
  - Transfer(sender,address(this),tLiquidity) (CatCoin.sol#431)
    - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
  - Transfer(sender,marketingAddress,tMarketing) (CatCoin.sol#440)
    - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
  - Transfer(sender,DEAD_ADDRESS,tBurn) (CatCoin.sol#450)
    - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
  - Transfer(sender,recipient,tTransferAmount) (CatCoin.sol#468)
    - _tokenTransfer(from,to,amount,usedTaxes) (CatCoin.sol#414)
Reentrancy in CatCoin.constructor(address) (CatCoin.sol#182-202):
  External calls:
  - _pair = IFactory(_router.factory()).createPair(address(this),_router.WETH()) (CatCoin.sol#184-185)
  Event emitted after the call(s):
  - Transfer(address(0),owner(),T_TOTAL) (CatCoin.sol#201)
Reentrancy in CatCoin.swapAndLiquify(uint256) (CatCoin.sol#476-484):
  External calls:
  - swapTokensForBNB(tokensToSwap,address(this)) (CatCoin.sol#481)
    - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(recipient),block.timestamp) (CatCoin.sol#510-516)
  - addLiquidity(otherHalfOfTokens,newBalance) (CatCoin.sol#483)

```

```

    - router.addLiquidityETH{value: bnbAmount}(address(this),tokenAmount,0,0,owner(),block.timestamp) (CatCoin.sol
1-498)
Event emitted after the call(s):
- Approval(owner,spender,amount) (CatCoin.sol#355)
  - _approve(sender,_msgSender(),currentAllowance - amount) (CatCoin.sol#244)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
INFO:Detectors:
Catcoin._transfer(address,address,uint256) (CatCoin.sol#358-416) uses timestamp for comparisons
Dangerous comparisons:
- newCycle = block.timestamp - userLastSell[from].lastSellTime >= antiDumpCycle (CatCoin.sol#392)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#block-timestamp
INFO:Detectors:
Catcoin.includeInReward(address) (CatCoin.sol#286-315) has costly operations inside a loop:
- rTotal += rBalance - rExcludedFromRewardTotal (CatCoin.sol#297)
Catcoin.includeInReward(address) (CatCoin.sol#286-315) has costly operations inside a loop:
- rExcludedFromRewardTotal = 0 (CatCoin.sol#301)
Catcoin.includeInReward(address) (CatCoin.sol#286-315) has costly operations inside a loop:
- tExcludedFromRewardTotal -= tBalance (CatCoin.sol#308)
Catcoin.includeInReward(address) (CatCoin.sol#286-315) has costly operations inside a loop:
- rTotal -= rExcludedFromRewardTotal - rBalance (CatCoin.sol#299)
Catcoin.includeInReward(address) (CatCoin.sol#286-315) has costly operations inside a loop:
- rExcludedFromRewardTotal -= rBalance (CatCoin.sol#304)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#costly-operations-inside-a-loop
INFO:Detectors:
Context._msgData() (CatCoin.sol#35-38) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
INFO:Detectors:
Catcoin.reflectionRate (CatCoin.sol#122) is set pre-construction with a non-constant function or state variable:
- rTotal / T_TOTAL
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#function-initializing-state-variables
INFO:Detectors:
Pragma version^0.8.4 (CatCoin.sol#6) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6
solc-0.8.4 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity

```

```

INFO:Detectors:
Variable Catcoin._rExcludedFromRewardTotal (CatCoin.sol#125) is too similar to Catcoin.tExcludedFromRewardTotal (CatCoin.sol#
)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-are-too-similar
INFO:Detectors:
Catcoin.slitherConstructorConstantVariables() (CatCoin.sol#99-664) uses literals with too many digits:
- DEAD_ADDRESS = 0x0000000000000000000000000000000000000000000000000000000000000000 (CatCoin.sol#144)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits
INFO:Detectors:
renounceOwnership() should be declared external:
- Ownable.renounceOwnership() (CatCoin.sol#59-61)
transferOwnership(address) should be declared external:
- Ownable.transferOwnership(address) (CatCoin.sol#63-66)
name() should be declared external:
- Catcoin.name() (CatCoin.sol#205-207)
symbol() should be declared external:
- Catcoin.symbol() (CatCoin.sol#208-210)
decimals() should be declared external:
- Catcoin.decimals() (CatCoin.sol#211-213)
totalSupply() should be declared external:
- Catcoin.totalSupply() (CatCoin.sol#216-218)
transfer(address,uint256) should be declared external:
- Catcoin.transfer(address,uint256) (CatCoin.sol#225-228)
allowance(address,address) should be declared external:
- Catcoin.allowance(address,address) (CatCoin.sol#230-232)
approve(address,uint256) should be declared external:
- Catcoin.approve(address,uint256) (CatCoin.sol#234-237)
transferFrom(address,address,uint256) should be declared external:
- Catcoin.transferFrom(address,address,uint256) (CatCoin.sol#239-247)
increaseAllowance(address,uint256) should be declared external:
- Catcoin.increaseAllowance(address,uint256) (CatCoin.sol#249-252)
decreaseAllowance(address,uint256) should be declared external:
- Catcoin.decreaseAllowance(address,uint256) (CatCoin.sol#254-260)
isExcludedFromReward(address) should be declared external:
- Catcoin.isExcludedFromReward(address) (CatCoin.sol#262-264)

```

```
excludeFromFee(address) should be declared external:
  - Catcoin.excludeFromFee(address) (CatCoin.sol#318-320)
includeInFee(address) should be declared external:
  - Catcoin.includeInFee(address) (CatCoin.sol#322-324)
isExcludedFromFee(address) should be declared external:
  - Catcoin.isExcludedFromFee(address) (CatCoin.sol#327-329)
isBot(address) should be declared external:
  - Catcoin.isBot(address) (CatCoin.sol#569-571)
rescueAnyBEP20Tokens(address,address,uint256) should be declared external:
  - Catcoin.rescueAnyBEP20Tokens(address,address,uint256) (CatCoin.sol#656-659)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external
INFO:Slither:CatCoin.sol analyzed (6 contracts with 75 detectors), 56 result(s) found
INFO:Slither:Use https://crytic.io/ to get access to additional detectors and Github integration
```

Solidity Static Analysis - Catcoin

Check-effects-interaction:

Potential violation of Checks-Effects-Interaction pattern in `Catcoin.swapTokensForBNB(uint256,address)`: Could potentially lead to re-entrancy vulnerability. Note: Modifiers are currently not considered by this static analysis.

[more](#)

Pos: 501:4:

Block timestamp:

Use of "block.timestamp": "block.timestamp" can be influenced by miners to a certain degree. That means that a miner can "choose" the block.timestamp, to a certain degree, to change the outcome of a transaction in the mined block.

[more](#)

Pos: 515:12:

Gas & Economy

Gas costs:

Gas requirement of function `Catcoin.transferTaxes` is infinite: If the gas requirement of a function is higher than the block gas limit, it cannot be executed. Please avoid loops in your functions or actions that modify large areas of storage (this includes clearing or copying arrays in storage)

Pos: 164:4:

Gas costs:

Gas requirement of function `Catcoin.rescueAnyBEP20Tokens` is infinite: If the gas requirement of a function is higher than the block gas limit, it cannot be executed. Please avoid loops in your functions or actions that modify large areas of storage (this includes clearing or copying arrays in storage)

Pos: 656:4:

For loop over dynamic array:

Loops that do not have a fixed number of iterations, for example, loops that depend on storage values, have to be used carefully. Due to the block gas limit, transactions can only consume a certain amount of gas. The number of iterations in a loop can grow beyond the block gas limit which can cause the complete contract to be stalled at a certain point. Additionally, using unbounded loops incurs in a lot of avoidable gas costs. Carefully test how many items at maximum you can pass to such functions to make it successful.

[more](#)

Pos: 603:8:

Miscellaneous

Constant/View/Pure functions:

`IRouter.swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[]`
: Potentially should be constant/view/pure but is not. Note: Modifiers are currently not considered by this static analysis.

[more](#)

Pos: 91:4:

Similar variable names:

Catcoin.airdropTokens(address[],uint256[]) : Variables have very similar names "accounts" and "amounts". Note: Modifiers are currently not considered by this static analysis.

Pos: 604:53:

Similar variable names:

Catcoin.airdropTokens(address[],uint256[]) : Variables have very similar names "accounts" and "amounts". Note: Modifiers are currently not considered by this static analysis.

Pos: 603:30:

Guard conditions:

Use "assert(x)" if you never ever want x to be false, not in any circumstance (apart from a bug in your code). Use "require(x)" if x can be false, due to e.g. invalid input or a failing external component.

[more](#)

Pos: 657:8:

Data truncated:

Division of integer values yields an integer value again. That means e.g. $10 / 100 = 0$ instead of 0.1 since the result is an integer again. This does not hold for division of (only) literal values since those yield rational constants.

Pos: 478:31:

Severity Definitions

Risk Level	Description
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to lost tokens etc.
High	High level vulnerabilities are difficult to exploit; however, they also have a significant impact on smart contract execution, e.g. public access to crucial functions.
Medium	Medium level vulnerabilities are important to fix; however, they cannot lead to lost tokens.
Low	Low level vulnerabilities are most related to outdated, unused etc. These code snippets cannot have a significant impact on execution.
Lowest Code Style/ Best Practice	Lowest level vulnerabilities, code style violations and information statements cannot affect smart contract execution and can be ignored.

Audit Findings

Critical:

No critical severity vulnerabilities were found.

High:

No medium severity vulnerabilities were found.

Medium:

No medium severity vulnerabilities were found.

Low

1) Infinite loop possibility: The owner should not push accounts after a certain limit in `_excludedFromReward` otherwise the loop will fail.

```

286     function includeInReward(address account) external onlyOwner() {
287         require( isExcludedFromReward[account], "Account is not excluded");
288         for (uint256 i = 0; i < _excludedFromReward.length; i++) {
289             if (_excludedFromReward[i] == account) {
290                 _excludedFromReward[i] = _excludedFromReward[_excludedFromReward.length - 1];
291                 uint256 tBalance = _tOwned[account];
292                 if (tBalance > 0) {
293                     uint256 rBalance = tBalance * _reflectionRate;
294                     if (tBalance == _tExcludedFromRewardTotal) {
295                         // try fix rTotal
296                         if (rBalance > _rExcludedFromRewardTotal) {
297                             _rTotal += rBalance - _rExcludedFromRewardTotal;
298                         } else if (rBalance < _rExcludedFromRewardTotal) {
299                             _rTotal -= _rExcludedFromRewardTotal - rBalance;
300                         }
301                         _rExcludedFromRewardTotal = 0;
302                     } else {
303                         _rExcludedFromRewardTotal -= rBalance;
304                     }
305                 }
306                 _tOwned[account] = 0;
307                 _rOwned[account] = rBalance;
308                 _tExcludedFromRewardTotal -= tBalance;
309             }
310             _isExcludedFromReward[account] = false;
311             _excludedFromReward.pop();
312             break;
313         }
    
```

Suggestion: limit the length of _excludeFromReward.

Very Low:

No very low severity vulnerabilities were found.

Discussion

- 1) Instead of using a large number of mappings, a single struct can reduce the gas amount.
- 2) Unused function declaration inside IERC20 interface can be removed.
- 3) Function `_msgData` under context is nowhere used.
- 4) `Transferownership` and `acceptownership` is good practice in case by mistake ownership is transferred to the wrong address.

Conclusion

We were given a contract file and have used all possible tests based on the given object. The contract is written systematically, it is ready to go for production.

We have used all the latest static tools and manual observations to cover maximum possible test cases to scan everything.

The security state of the reviewed contract is now “secured”.

Note For Contract Users

There are several owner only functions. Those can be called by the owner's wallet only. So, if the owner's wallet is compromised, then it carries the risk of the contract becoming vulnerable.

RescueBNB: The owner can withdraw the total balance from the contract.

```
649     function rescueBNB(uint256 weiAmount) external onlyOwner{
650         require(address(this).balance >= weiAmount, "insufficient BNB balance");
651         payable(msg.sender).transfer(weiAmount);
652     }
```

RescueAnyBEP20Tokens: The owner can withdraw all tokens (except its native one) from the contract.

```
656     function rescueAnyBEP20Tokens(address _tokenAddr, address _to, uint _amount) public onlyOwner {
657         require(_tokenAddr != address(this), "Cannot transfer out Catcoin!");
658         IERC20(_tokenAddr).transfer(_to, _amount);
659     }
660
```

Transferownership: The owner can transfer ownership.

ExcludeFromReward: The owner can exclude any address from reward.

IncludeInReward: The owner can include any address in the reward.

ExcludeFromFee: The owner can exclude any account from the fee.

IncludeInFee: The owner can exclude any account from the fee.

UpdateMarketingWallet: The owner can update the marketing wallet.

UpdateAntiWhaleAmount: The owner can update the anti whale amount.

SetAntibot: The owner can set an anti bot.

BulkAntibot: The owner can set a bulk antibot.

SetOnlyAllowWhitelistTrading: The owner can allow whitelistTrading.

BulkPancakeSwapWhitelist: The owner can whitelist addresses for bulkPancakeswap.

UpdateRouterAndPair: The owner can update router and pair addresses.

AirdropTokens: The owner can airdrop tokens.

Owner has full control over the smart contract. Thus, technical auditing does not guarantee the project's ethical side.

Please do your due diligence before investing. Our audit report is never an investment advice.

Our Methodology

We like to work with a transparent process and make our reviews a collaborative effort. The goals of our security audits are to improve the quality of systems we review and aim for sufficient remediation to help protect users. The following is the methodology we use in our security audit process.

Manual Code Review

In manually reviewing all of the code, we look for any potential issues with code logic, error handling, protocol and header parsing, cryptographic errors, and random number generators. We also watch for areas where more defensive programming could reduce the risk of future mistakes and speed up future audits. Although our primary focus is on the in-scope code, we examine dependency code and behavior when it is relevant to a particular line of investigation.

Vulnerability Analysis

Our audit techniques included manual code analysis, user interface interaction, and whitebox penetration testing. We look at the project's web site to get a high level understanding of what functionality the software under review provides. We then meet with the developers to gain an appreciation of their vision of the software. We install and use the relevant software, exploring the user interactions and roles. While we do this, we brainstorm threat models and attack surfaces. We read design documentation, review other audit results, search for similar projects, examine source code dependencies, skim open issue tickets, and generally investigate details other than the implementation.

Documenting Results

We follow a conservative, transparent process for analyzing potential security vulnerabilities and seeing them through successful remediation. Whenever a potential issue is discovered, we immediately create an Issue entry for it in this document, even though we have not yet verified the feasibility and impact of the issue. This process is conservative because we document our suspicions early even if they are later shown to not represent exploitable vulnerabilities. We generally follow a process of first documenting the suspicion with unresolved questions, then confirming the issue through code analysis, live experimentation, or automated tests. Code analysis is the most tentative, and we strive to provide test code, log captures, or screenshots demonstrating our confirmation. After this we analyse the feasibility of an attack in a live system.

Suggested Solutions

We search for immediate mitigations that live deployments can take, and finally we suggest the requirements for remediation engineering for future releases. The mitigation and remediation recommendations should be scrutinised by the developers and deployment engineers, and successful mitigation and remediation is an ongoing collaborative process after we deliver our report, and before the details are made public.

Disclaimers

RD Auditors Disclaimer

The smart contracts given for audit have been analysed in accordance with the best industry practices at the date of this report, in relation to: cybersecurity vulnerabilities and issues in smart contract source code, the details of which are disclosed in this report, (Source Code); the Source Code compilation, deployment and functionality (performing the intended functions).

Because the total number of test cases are unlimited, the audit makes no statements or warranties on the security of the code. It also cannot be considered as a sufficient assessment regarding the utility and safety of the code, bugfree status or any other statements of the contract. While we have done our best in conducting the analysis and producing this report, it is important to note that you should not rely on this report only - we recommend proceeding with several independent audits and a public bug bounty program to ensure security of smart contracts.

Technical Disclaimer

Smart contracts are deployed and executed on the blockchain. The platform, its programming language, and other software related to the smart contract can have their own vulnerabilities that can lead to hacks. Thus, the audit can't guarantee explicit security of the audited smart contracts.



Email: info@rdauditors.com

Website: www.rdauditors.com

